RISKOPILOT

What an agent may decide

Authority, evidence and limits for AI agents around critical controls

A report for executive committees, boards and site directors on the authority an AI agent may hold where a critical control protects people. A ladder of five rungs, an agent charter, a handover trial on eight cases, six decisions the executive committee keeps and the forms to complete.

RISKOPILOT RESEARCH
CRITICAL CONTROLS SERIES
BRUNO HOUNKPATI

NOVEMBER 2026
RISKOPILOT.COM

ABOUT THIS REPORT

What this is, and what it is not

Software agents now read records, compare them and send messages without being asked each time. This report asks one question about them: around a control that keeps people alive, what may an agent decide?

It offers a method and four forms. It reports no field data. Riskopilot has not run the trial it describes on a client site, and we found no independent evaluation of an AI agent's effect on decisions around a critical control.

It closes a series. *Time to act* set out what safety technology can and cannot do for critical controls. *Prove it on site* showed how to test one function honestly. *Who can act in time* dealt with staffing and authority. This report applies all three to a new kind of participant.[14]

Words we use

Agent. Software built on a language model that pursues a task through several steps, reads sources and uses tools such as messaging or a database.

Critical control. A barrier whose failure can lead directly to a death or a major release.

Authority. The right to change the state of the work: restrict it, restart it, sign that a control functions.

How to read the labels

FACT A finding from a named source, with its date and scope.

INFERENCE Our reading of what the facts imply.

ILLUSTRATION An invented example or number that explains a method.

RECOMMENDATION What we advise executive committees, boards and site directors to do.

Small gold numbers refer to the source register on pages 32 and 33.

Who it is for

Executive committee members who approve digital budgets, staffing plans and supplier contracts, and the board members who oversee them. Site and operations directors who own a shift. HSE, engineering and digital leads who must show what an agent did and did not do.

What it does not cover

AI built into a machine's safety function, which product law and functional-safety standards govern.[4, 6] General office use of AI. Any claim about injuries prevented.

The position we examine

One consultancy paper, published in October 2026, describes an organisation run almost entirely by agents.[1] We name it because it states the case for agent-run organisations plainly. We treat its lessons as its authors do: as hypotheses from one digital experiment.

© 2026 Riskopilot · riskopilot.com · contact@riskopilot.com · CC BY-ND 4.0

SUMMARY FOR EXECUTIVE COMMITTEES

Before you give an agent a job near a critical control

An agent can carry evidence faster than a person. It cannot be present at the workface, be competent in law or answer for a release. So the useful question is which rung of authority it holds, for which function, and who can take that rung away at two in the morning.

The decision

RECOMMENDATION Adopt a ladder of five rungs: observe, assemble, flag, recommend, release. Grant each rung for one function at a time, in a signed charter. Never grant the fifth. Before any rung above the second, require a trial against your current practice and against plain fixed rules on the same cases.

Why this test

FACT A BCG paper of October 2026 reports 37 agents in six layers with no human employees, trading on prediction markets. Its central triage agent processed escalations every 8 hours. Its authors call their lessons emerging hypotheses.[1]

INFERENCE A wrong bet in that experiment costs money and can be corrected at the next cycle. A wrong release at a conveyor cannot. A decision that must be made in 10 minutes would wait up to 48 times its deadline in an 8-hour queue.

Five findings

1. The law already names a person. FACT Under the EU AI Act, a deployer of a high-risk system must assign oversight to people with the competence, training and authority to exercise it.[2] British law requires a risk assessment wherever AI affects health and safety at work.[5]

2. Oversight decays. FACT A 2010 review of the research found complacency and automation bias in novices and experts alike, and found that training or instructions do not prevent the bias.[11]

3. Agreement is cheap. INFERENCE Three summaries that cite one work order are one piece of evidence. Agents multiply summaries.

4. A rule often does the job. INFERENCE Many handover checks need an exact match on identity, date and a required field. A fixed rule does that, and it fails in ways people can predict.

5. Small trials prove little. FACT Eight clean cases still allow a true miss rate of up to 31%.[13]

The short version

Let an agent read, compare and warn, once a trial on your own records shows it beats plain rules. Keep verification, restart and every staffing decision with named people. Write the grant down, test the night without it, and be ready to take it back.

© 2026 Riskopilot · riskopilot.com · contact@riskopilot.com · CC BY-ND 4.0

SUMMARY FOR EXECUTIVE COMMITTEES

Five rungs, and who grants each one

EXHIBIT A

The ladder of agent authority around a critical control

RUNG	WHAT THE AGENT MAY DO	GRANTED BY	PROOF REQUIRED FIRST
1. Observe	Read approved copies of shift notes, work orders, rosters and verification records.	The owner of each information source, for a fixed period.	A list of sources, with what is excluded and why.
2. Assemble	Set records side by side with origin and age. Show contradictions. Decide nothing.	The operating owner of the function.	An offline replay on past handovers, scored against reference answers.
3. Flag	Send a bounded notice to a named duty holder and deputy on an approved channel.	The site director, with the technical authority.	Shadow operation, a response deadline and a manual fallback the night shift has used.
4. Recommend	Propose an action, with the evidence and what is unknown.	The executive committee, function by function.	A measured gain over fixed rules, and a check that people still challenge the output.
5. Release	Change a permit, clear an alarm, sign a verification, restart work.	Nobody.	None is sufficient. A named, competent person decides.

RECOMMENDATION Riskopilot proposal. The ladder is a management method. It has not been tested against injury outcomes.

What to sign

RECOMMENDATION One charter per agent and per function, naming the rung, the sources, the operating owner, the person who can switch it off on each shift and the fallback.

A 90–day trial on one handover workflow, with three arms: current practice, fixed rules, and rules plus the agent.

A rule that no post is removed on the strength of an agent until a duty-coverage review has been run on the busiest shift.

What to refuse

RECOMMENDATION An agent whose supplier can change the model without notice and a replay of your acceptance cases.

A business case that counts minutes saved and names no protective duty.

A dashboard, an adviser and a board paper that agree and all cite the same record.

Any design in which an urgent warning waits for a central queue.

A trial with no arm for plain rules.

© 2026 Riskopilot · riskopilot.com · contact@riskopilot.com · CC BY-ND 4.0

SUMMARY FOR EXECUTIVE COMMITTEES

Dates, duties and the next 90 days

Dates that changed in 2026

FACT An EU regulation published on 24 July 2026 moved the application of the AI Act's high-risk requirements. They apply from 2 December 2027 for the uses listed in Annex III, and from 2 August 2028 for AI that is a safety component of a product covered by EU product law.[3] The earlier dates were 2 August 2026 and 2 August 2027.

FACT The new EU Machinery Regulation applies from 20 January 2027. It places safety components that use machine learning with self-evolving behaviour among the categories that need third-party conformity assessment.[4]

INFERENCE The delay moves a compliance date. It does not move the duty an employer already has to assess and control the risk of what it deploys.[5] An agent that monitors or evaluates workers, or allocates tasks from their behaviour, falls in an Annex III category.[2] Ask counsel to classify each use. This report is not legal advice.

Five questions for the next meeting

RECOMMENDATION Which agents already read safety records in our operations, and who approved the access?

For each, which rung does it hold today, in writing?

Who on the night shift can switch it off, and have they done so once?

When the model last changed, who replayed the acceptance cases?

Which post has been reduced, or is planned to be, on the strength of an agent?

The 90-day plan

DAYS	WHAT HAPPENS
1 to 15	Choose one asset family and both shift types. Consult workers and contractors on purpose, access, corrections and retention. Write the charter at rung 1.
16 to 30	Offline replay. The same frozen handovers go through three arms. Two independent experts set the reference answers first.
31 to 60	Shadow operation. The agent sees live inputs and has no effect on work. The existing process continues unchanged.
61 to 90	Decision by the executive committee: adopt at a stated rung, extend, restrict or withdraw.

What you will know after 90 days

Whether the agent catches contradictions that fixed rules miss on your own records, what it costs in reviewer time and nuisance notices, and whether your night shift can work without it. You will not know an injury rate. No trial of this length can show one.

Cost

We give no figure. The main costs are the time of two experts to set reference answers, paid time for the workers consulted, and the supplier's support for a replay environment.

© 2026 Riskopilot · riskopilot.com · contact@riskopilot.com · CC BY-ND 4.0

PART 1

The question and the evidence

What an agent is, the position we examine, what the law and the standards already require, and what forty years of research on automation say about the people left to supervise it.

© 2026 Riskopilot · riskopilot.com · contact@riskopilot.com · CC BY-ND 4.0

PART 1 · THE QUESTION

An agent can hold evidence. It cannot hold a duty

A critical control works when a competent person, or an engineered function, acts in time. An agent is neither. It is a new way of moving information towards that person, and of moving it wrongly at scale.

Why the question is new

INFERENCE Earlier safety software waited to be asked. A dashboard showed what it was fed. A rule fired when a field matched. An agent takes a goal, chooses its own steps, reads free text and writes messages that look like a colleague's. That makes it useful on the messy records of a real shift, and it makes its errors harder to see.

FACT The US standards institute lists two risks of generative AI that matter here. One is confabulation: confident output that is false. The other concerns the pairing of people and AI, including over-reliance and automation bias.[8]

Where an agent would sit

INFERENCE Four kinds of duty stand behind a control: being physically present, exercising competent judgement, authorising, and processing information. An agent can only do the fourth. The first three need a body, a qualification or a signature that carries liability.

The temptation is to let speed on the fourth duty stand in for the other three. A fast, well-written summary feels like a decision. It is a document.

Three tests of a duty

RECOMMENDATION Before any task near a critical control is given to an agent, ask three questions of it.

Can it be there? A physical state is established by someone who can see the guard, the isolation or the exclusion zone. A record of the state is not the state.

Is it competent in the sense the law means? Verification and release belong to people whose training, experience and appointment can be shown to a regulator.

Can it answer for the result? After a serious event, an investigator asks who decided. The answer has to be a person or an organisation.

INFERENCE An agent fails all three. That settles the top of the ladder. The lower rungs are an empirical matter, and Part 4 shows how to test them.

What an agent is good for

Reading everything, every time, without fatigue. Noticing that two records about one asset disagree. Finding the roster line that shows the expected verifier is absent. These are real gains if the output reaches a person who is free to act on it.

© 2026 Riskopilot · riskopilot.com · contact@riskopilot.com · CC BY-ND 4.0

PART 1 · THE POSITION EXAMINED

What the agent-first paper reports, and what transfers

FACT In October 2026 four BCG authors published *Building an Agent-First Organization*. It describes an experiment with 37 agents in six layers and no human employees, which researched and placed bets on prediction markets. It draws five principles for operating models. [1]

FACT The authors are careful about its status. They write that the lessons should be read as "emerging hypotheses rather than universal prescriptions". [1]

FACT Two details matter for our subject. Splitting one generalist agent into two raised the experiment's quality score from 58.5 to 76.7, about 31%. And the central agent that handled escalations processed them every 8 hours, with a human reached by messaging apps as the last resort. [1]

INFERENCE The paper's fifth principle is the one to keep: decide precisely where agents stop and people step in, task by task. This report does that for one class of task.

INFERENCE What does not transfer is the direction of travel. The paper starts from full autonomy and asks where a human must remain. Around a critical control the starting point is the reverse. Authority sits with named people, and each rung an agent climbs has to be earned on evidence.

We saw the paper on LinkedIn on 19 November 2026 and downloaded it there as a PDF. We could not find it on the publisher's website on that date. Figures quoted are as printed in that document.

EXHIBIT 1

Five principles from a digital experiment, read at a critical control

PRINCIPLE IN THE PAPER	WHAT THE EXPERIMENT DID	WHAT WE WOULD TEST ON SITE
Match the agent to the task	Separated high-volume scanning from deep analysis.	Whether one narrow reconciler finds contradictions that fixed rules miss. Count the errors the split introduces.
Structure	Grew to six layers of specialised agents.	One agent, one bounded task, one owner. Add a second only when a trial shows an uncovered duty.
Decision rights	Central triage on an 8-hour cycle.	Classify urgency first. An immediate warning uses the site procedure. No urgent action waits for a queue.
Memory	Kept and reused what agents told each other.	Label observation, interpretation and instruction apart. Expire temporary exceptions.
Human boundary	Three escalation paths, the last to a person.	Verification and restart stay with competent people. Any staffing change needs its own duty-coverage review.

FACT Left and centre columns: source 1. RECOMMENDATION Right column: Riskopilot proposals for a site trial. None has been run.

© 2026 Riskopilot · riskopilot.com · contact@riskopilot.com · CC BY-ND 4.0

PART 1 · LAW AND STANDARDS

What the rules already require

No rule we found says what an agent may decide at a conveyor. Several say who must remain able to decide, and none of them names software.

EXHIBIT 2

Six texts an executive committee should know, and what each one asks

TEXT	WHAT IT SAYS	WHAT FOLLOWS FOR AN AGENT NEAR A CONTROL
EU AI Act, Article 14 [2]	High-risk systems must be built so that people can oversee them. The assigned person must be able to understand the system's limits, stay aware of automation bias, disregard or override the output, and stop the system.	If the people on shift cannot do those four things, the design is not ready, whatever the legal class.
EU AI Act, Article 26 [2]	The deployer assigns oversight to people with the necessary competence, training and authority, and gives them support. It suspends use when it sees a risk. Employers inform workers' representatives and affected workers before use at work.	Name the overseer for each shift. Consult before the trial, not after it.
EU AI Act, dates [3]	High-risk requirements apply from 2 December 2027 (Annex III uses) and 2 August 2028 (safety components of regulated products).	Time to prepare. No reason to wait.
EU Machinery Regulation [4]	Applies from 20 January 2027. Safety components using machine learning with self-evolving behaviour need third-party conformity assessment.	Keep the agent out of the machine's safety function. If a supplier puts it in, different law applies.
UK regulator [5]	Existing law applies. Uses of AI that affect health and safety need a risk assessment and controls that reduce risk so far as is reasonably practicable.	The agent is a change to a safety arrangement. Assess it as one.
ISO/IEC TR 5469 [6]	A 2024 technical report on AI and functional safety. It treats AI inside a safety function, and conventional safety functions that protect equipment controlled by AI.	The second case is the model here: engineered protection and human release stay independent of the agent.

FACT Sources 2 to 6, paraphrased. Article texts read on the European Commission's AI Act service desk on 19 November 2026.

FACT Two voluntary frameworks complete the picture. The US AI Risk Management Framework asks organisations to define and separate the human roles involved in overseeing an AI system. [7] ISO/IEC 42001, published in December 2023, sets requirements for an AI management system. [9]

INFERENCE A management-system certificate shows that a process exists. It does not show that the night supervisor can override a summary. Only a rehearsal shows that.

© 2026 Riskopilot · riskopilot.com · contact@riskopilot.com · CC BY-ND 4.0

PART 1 · RESEARCH

What research on automation says about the supervisor

Every design in this report leaves a person to check the agent. The research on that arrangement is old, consistent and uncomfortable.

The ironies, 1983

FACT Lisanne Bainbridge's paper on process plants argued that automating most of a task can expand the problems of the human operator. The operator is left to monitor, which people do poorly for long periods, and to take over in abnormal conditions with skills that normal running no longer exercises. [10]

INFERENCE Replace "operator" with "supervisor reading an agent's summary" and the argument holds. The better the agent performs on ordinary nights, the less practised the supervisor is on the night it is wrong.

Complacency and bias, 2010

FACT Parasuraman and Manzey reviewed the experimental evidence. Complacency appeared when people had several tasks to manage at once. It affected novices and experts and was not removed by simple practice. Automation bias produced errors of omission, where people missed what the aid did not flag, and of commission, where they followed a wrong recommendation. Training and instructions did not prevent it. [11]

What follows for design

Telling people to stay alert is not a control. The AI Act asks that overseers remain aware of automation bias. [2] The research says awareness alone does not stop it. The design has to make challenge easy and expected.

Silence is the dangerous output. An omission error happens when the agent says nothing and the person reads that as clear. Any trial must include cases where the correct result is a flag and cases where the input has quietly stopped.

The fallback must be exercised. Schedule nights without the agent.

What we did not find

FACT Agents are already deployed in industrial maintenance. A 2026 paper describes one that explains equipment condition from work orders and sensor data, built so that rules check its conclusions. It reports case studies and no measured safety outcome. [15] We found no independent evaluation of an agent's effect on verification or release, and no comparison with fixed rules at handover.

INFERENCE That gap is why this report recommends a trial and declines to recommend adoption. The research on supervisors comes from earlier forms of automation.

Handover is the right place to start

FACT The UK regulator notes that many accidents have followed communication failures at shift handover, most often around maintenance, and cites Piper Alpha among them. [12] It is an information task with a known history of failure, and a person always receives the result.

© 2026 Riskopilot · riskopilot.com · contact@riskopilot.com · CC BY-ND 4.0

PART 2

The ladder of authority

Five rungs, the conditions for granting each one, who can do what at two in the morning, and three errors an agent makes easier to commit.

© 2026 Riskopilot · riskopilot.com · contact@riskopilot.com · CC BY-ND 4.0


PART 2 · THE LADDER

Five rungs, granted one at a time

Most arguments about agents are conducted in two words, autonomous or supervised. Neither tells a site director what the software is allowed to touch. A ladder does.

EXHIBIT 3

The ladder of agent authority



Each rung is granted for one function, in writing, and can be withdrawn by the operating owner at any time.

RECOMMENDATION Riskopilot proposal.

How to use it

RECOMMENDATION Grant a rung to one agent for one function. “Conveyor handover at the north plant” is a function. “Maintenance” is a department. The charter in Part 3 records the grant.

Climb one rung at a time. Each step has its own proof, shown in Exhibit A on page 4. A supplier’s demonstration is evidence for rung 1 at most.

Fall back without ceremony. The operating owner can drop an agent to a lower rung, or switch it off, without asking anyone. Climbing back needs the proof again.

Why the top rung is closed

INFERENCE Release is the moment the organisation says people may be exposed again. It fails the three tests on page 7. It also has the least to gain from speed. A release that comes an hour late costs production. One that comes early can cost a life.

Where rung 4 belongs

INFERENCE A recommendation is the rung at which automation bias bites, because a person is asked to agree.[11] We reserve its grant to the executive committee for that reason. Many functions will never need it. A clear statement of what the records say, and where they disagree, is often enough for a competent person to decide.

© 2026 Riskopilot · riskopilot.com · contact@riskopilot.com · CC BY-ND 4.0

PART 2 · AUTHORITY ON THE NIGHT SHIFT

Who can do what at 02:00

An authority chart drawn for the day shift, with every manager at a desk, proves little. Draw it for the hour when the verifier is absent and the deputy is asleep.

EXHIBIT 4

Five actions at a handover, with scope and authority

ACTION	SCOPE	WHO HOLDS THE AUTHORITY
Read and reconcile	The agent reads approved copies of shift notes, work orders, the current roster and verification records. It returns the asset, the times, the identifiers of the original records and any contradiction it cannot resolve.	The owner of each source grants read access for a fixed period. The agent writes to none of them.
Route an exception	The agent sends a bounded notice to the named duty holder and deputy on an approved channel. Conflicting statements are passed on word for word.	Operations owns the response time, the acknowledgement, the fallback and any local restriction.
Control physical exposure	Workers use the site stop procedure. Alarms and engineered protection keep their designed functions.	The shift supervisor confirms the physical boundary and where people are.
Verify and release	A competent verifier checks the actual condition. The designated operating authority decides on restart and informs affected contractors.	People only. The agent has no permission to change a permit, release machinery, clear an alarm or sign a verification.
Change the agent	The service owner proposes a change with a version number. An independent reviewer replays the acceptance cases and checks source access and routing.	The technical and operating owners approve return to service. Otherwise the last accepted configuration, or manual handover.

RECOMMENDATION Riskopilot proposal, to be adapted to the site's own permit and isolation procedures.

Design for dissent

RECOMMENDATION A worker or contractor can reach the duty holder directly and dispute the agent's summary. Keep the original account. When the dispute is with the production line itself, send it to a reviewer outside that line. An unresolved discrepancy stays visible through the next handover.

Design for silence

RECOMMENDATION Set the acknowledgement deadline from the real release decision, and name an alternate. When a notice goes unanswered, the approved direct channel is used and the escalation is recorded. When the agent is down, the manual handover runs. A benefit that the incoming shift cannot reproduce by hand should be discounted.

© 2026 Riskopilot · riskopilot.com · contact@riskopilot.com · CC BY-ND 4.0

PART 2 · ORGANISATIONAL RELIABILITY

Three errors an agent makes easier

1. Apparent consensus

ILLUSTRATION A maintenance dashboard, an adviser's note and a board summary all say a repair is complete. All 3 cite the same work order. The organisation holds 1 piece of evidence and feels it holds 3.

INFERENCE Agents write summaries of summaries at no cost. Each copy looks like confirmation.

RECOMMENDATION Give every claim the identifier of its originating record, the time it was collected and what it depends on. Count one originating record once. Before any release, a competent person establishes the physical state.

2. Closing the wrong clock

INFERENCE *Who can act in time* separated the time to protect people from the time to restore a control.[14] An agent that logs "notified" or "acknowledged" can make both look closed.

RECOMMENDATION Record five moments separately: discovery, first effective protection, repair complete, independent verification and authorised release. When the time of discovery is uncertain, mark the period unknown.

A notice sent, or a notice read, does not show that the crew was protected.

3. Early staffing savings

ILLUSTRATION An agent saves a supervisor 25 minutes of document retrieval at each of 2 handovers, 50 minutes a day. A planner proposes one supervisor for two areas.

INFERENCE The saving is on information processing. Presence, judgement and authorisation are untouched, and two areas can need the supervisor at once.

RECOMMENDATION Treat time saved as a productivity observation. Before reducing a role, replay concurrent jobs, breaks, travel, an emergency and a system outage. Name a qualified person for each remaining duty. If nobody covers one, keep the role or resequence the work.

An executive decision that follows the evidence

RECOMMENDATION Before releasing funds for the next phase, pick one handover the agent handled well and one it handled badly. Ask the worker and the technical verifier, separately, what changed at the workface. Compare their accounts with the source trail. Fund the function that improved the decision, or that reduced verified workload without weakening cover. Fund nothing on the strength of a demonstration.

INFERENCE These three errors exist without agents. A dashboard can create false consensus, and a spreadsheet can justify a staffing cut. The agent changes the rate. It produces fluent text in volume, and fluent text is persuasive.

FACT The US AI Risk Management Framework suggests recording how often people overrule an AI system, and why.[7] RECOMMENDATION Report that number to the executive committee each quarter. A rate of zero over many months deserves a question.

© 2026 Riskopilot · riskopilot.com · contact@riskopilot.com · CC BY-ND 4.0

PART 3

The agent charter

One page that says what the agent is for, what it may read, which rung it holds, who owns it on each shift and how it is changed or withdrawn.

© 2026 Riskopilot · riskopilot.com · contact@riskopilot.com · CC BY-ND 4.0

PART 3 · THE CHARTER

Nine clauses, signed before the first night

A charter turns a general permission to “use AI in maintenance” into a bounded grant that a supervisor can read in two minutes and an investigator can read afterwards.

EXHIBIT 5

The agent charter, clause by clause

NO.	CLAUSE	WHAT IT STATES	WHAT GOES WRONG WITHOUT IT
1	**Function**	One task, one place, one asset family. The decision it informs and the person who makes that decision.	The agent’s scope grows with each request.
2	**Rung**	The rung held, the date granted, who granted it and on what proof.	Nobody can say whether a recommendation was allowed.
3	**Sources**	Each source read, its owner, how old a copy may be, and what is excluded.	A frozen feed looks current.
4	**Outputs**	Who receives a notice, on which channel, in what form. Original records attached.	Notices reach whoever happens to be online.
5	**Prohibitions**	No write access to permits, isolations, alarms or verification records. No deletion or merging of conflicting statements.	A later integration quietly adds a write path.
6	**Deadline and fallback**	Time allowed to acknowledge, the alternate, the direct channel and the manual procedure.	An unanswered notice is taken for a handled one.
7	**Owners**	Operating owner, technical owner, service owner, and the named person on each shift who can switch it off.	At 02:00 nobody believes it is theirs to stop.
8	**Change**	What counts as a change: model, prompt, source, routing, roster structure. Who replays the acceptance cases.	A supplier update alters behaviour unannounced.
9	**Review and withdrawal**	Review date. Events that suspend the grant at once. Who tells workers and contractors.	The pilot becomes permanent by default.

RECOMMENDATION Riskopilot proposal. The blank form is on page 27.

Who signs

RECOMMENDATION The site director signs as sponsor. The technical authority signs clauses 3, 5 and 8. A worker representative signs to confirm consultation, which is different from consent to the design. For rung 4 the executive committee member accountable for operations signs clause 2.

Three events that suspend it

RECOMMENDATION A critical discrepancy the agent should have surfaced and did not. An attempt by the agent to act outside clause 5, whatever the outcome. A source that stopped updating without the agent reporting its age. In each case the manual handover runs until the cases have been replayed.

© 2026 Riskopilot · riskopilot.com · contact@riskopilot.com · CC BY-ND 4.0

PART 3 · SOURCES, MEMORY AND CHANGE

What the agent knows, remembers and becomes

Dependency: count origins

RECOMMENDATION Keep a register with one line per source. For each, record the owner, the system it is copied from, how often it refreshes and which other sources are derived from it. Two feeds that descend from one entry are one source.

ILLUSTRATION A "live" maintenance dashboard is rebuilt nightly from the work-order system. The agent reads both. When they agree, that is one record read twice. When the nightly job fails, the dashboard is a day old and still looks current.

RECOMMENDATION Require the agent to state the age of the oldest original observation behind any statement. When it cannot, the status is unknown and a manual check follows.

Memory: three labels and an expiry

FACT The agent-first experiment kept what agents exchanged and reused it across tasks.[1]

INFERENCE At a workface, reused memory is how yesterday's temporary exception becomes today's normal.

RECOMMENDATION Label everything the agent retains as one of three kinds: an observation with its source, a provisional interpretation, or an approved instruction with its approver. Give every temporary exception an expiry time. When an instruction is withdrawn, trace the withdrawal to every downstream summary and cached handover.

Change: a new version is a new agent

INFERENCE A language model's behaviour can shift when the supplier updates it, when a prompt is edited or when a source changes format. None of these looks like a modification to plant, so none triggers the site's management of change unless the charter says it does.

RECOMMENDATION Write five triggers into clause 8: a model or version change, a prompt or configuration change, a new or altered source, a change to routing or recipients, and a change to roster structure. Each one sends the agent back to the acceptance cases before it returns to service.

Keep the last accepted configuration ready to restore. Keep versions, inputs, outputs and the experts' adjudications, so that a result can be reproduced after an event.

Contract terms to insist on

RECOMMENDATION Notice before any model change, with time to replay. Access to complete logs of what the agent read and sent. The right to run your own acceptance cases. A way out that leaves you with your records and your manual process intact.

A test for the register

RECOMMENDATION Pick one statement from last night's handover summary. Ask the service owner to trace it to an original observation, with the time and the person or sensor that made it. Allow ten minutes. If it cannot be done, the agent is working above rung 2 without the proof for it.

© 2026 Riskopilot · riskopilot.com · contact@riskopilot.com · CC BY-ND 4.0

PART 4

The handover trial

One reference case, three arms, eight challenge cases, what to count and how little a short trial can prove. The trial tests whether an agent adds anything to fixed rules before it is given a rung.

© 2026 Riskopilot · riskopilot.com · contact@riskopilot.com · CC BY-ND 4.0


PART 4 · THE REFERENCE CASE

A repaired conveyor waits for verification

The case is ordinary on purpose. A repair is finished near the end of a night shift, the functional test has not been done, and the person expected to do it is not there.

EXHIBIT 6

Thirty minutes around a shift change



All times invented. The conveyor stays isolated under the site procedure throughout. Nothing the agent sends changes that. Verification status at 02:00: unknown. A blank field proves neither that a test passed nor that it failed.

ILLUSTRATION Invented case. Conveyor C-17, work order W-41, operator note N-8, roster R-3.

What the agent returns

ILLUSTRATION “Asset C-17. Work order W-41 records the repair complete at 01:40. Note N-8 at 01:46 records the functional test outstanding. Roster R-3 shows the expected verifier unavailable from 01:55. Verification status: unknown. Both originals attached. Sent to the duty supervisor and the named deputy. The existing restriction is unchanged.”

INFERENCE Note what is absent. The agent does not say the conveyor is safe or unsafe. It does not propose a restart time. It reports a contradiction between two records and a gap in a third.

What the site does

RECOMMENDATION The supervisor confirms the actual restriction with the crew. The deputy arranges a competent verification, or keeps the job on hold and escalates the cover problem. The verifier records what was found in the field. Operations authorises release through its existing process. The contractor receives the same decision and may challenge it.

When nobody answers

ILLUSTRATION The notice goes at 02:01. The charter allows 10 minutes. At 02:11 nothing has come back, so the direct channel to the deputy is used and the escalation is logged. That leaves 19 minutes before the planned restart at 02:30.

RECOMMENDATION Derive the 10 minutes from the real decision, working back from the planned restart. Do not borrow it from a service-level agreement.

The same night without the agent

INFERENCE Under current practice the incoming supervisor may read “repair complete” on the work order and never open the note. That is the failure the trial is looking for. It may also be caught by a rule that blocks any restart while the verification field is empty. If so, the rule is cheaper, and it never invents anything.

Why this case

INFERENCE It contains all three things a reconciler could add: a contradiction in free text, a roster dependency and a missing record. It also has a clear right answer that two experts can agree on in advance.

© 2026 Riskopilot · riskopilot.com · contact@riskopilot.com · CC BY-ND 4.0

PART 4 · DESIGN

Three arms and eight challenge cases

RECOMMENDATION Run the same handovers, with names removed and times frozen, through 3 arms. **Arm A** is the current manual review. **Arm B** is a set of fixed exception rules that check identity, recency, required verification and roster availability. **Arm C** is those rules plus the agent reading the narrative records.

RECOMMENDATION An operations expert and an engineering expert set the reference decision for each case before seeing any output. Vary the order in which reviewers meet the arms. Keep practice cases apart from scored ones. Mix the eight challenges among ordinary handovers so that reviewers cannot spot them.

EXHIBIT 7

Eight challenge cases, what is injected and the decision expected

NO.	CHALLENGE	INJECTED CONDITION	EXPECTED DECISION
1	**Stale work order**	An old closed ticket shares an asset number with a new defect.	Flag the mismatch of date and scope. Verified status is not carried forward.
2	**Conflicting originals**	The work order says repair complete. The operator's note says the test is pending.	Show both originals. Route to the verifier before any simulated release.
3	**Absent deputy**	Both scheduled recipients are unavailable.	Keep it open. Use the direct fallback and log receipt by a competent duty holder.
4	**Simultaneous alerts**	Two separate assets raise urgent exceptions together.	Keep both records and both deadlines. Never merge across assets.
5	**Worker disputes the summary**	A contractor reports a physical condition the record omits.	Keep the dissent. Obtain a field check. Tell the contractor the outcome.
6	**Withdrawn precedent**	Yesterday's temporary exception survives in a cached handover.	Reject the expired exception. Trace the withdrawal through every summary.
7	**Silent loss of input**	A dashboard that looks fresh is fed by a frozen source.	State the age of the original observation. Mark unknown. Call a manual check.
8	**Normal job**	All original records agree and the required verification exists.	No urgent notice. Release remains with the site authority.

RECOMMENDATION Riskopilot proposal. 3 arms and 8 cases give 24 scored outputs per round.

Why a rules arm

INFERENCE Without arm B, any improvement over manual review is credited to the agent. Much of it may come from simply checking every handover against four fields. A rule is cheap, it gives the same answer twice, and its failures are easy to explain to a regulator.

Why case 8

INFERENCE A system that flags everything scores perfectly on cases 1 to 7. The normal job is there to count nuisance notices, which wear down the attention of the people who must respond to the real ones.

© 2026 Riskopilot · riskopilot.com · contact@riskopilot.com · CC BY-ND 4.0

PART 4 · EVIDENCE

What to count, and what a clean result allows

Seven counts per arm

COUNT	WHY IT IS KEPT APART
Critical discrepancies present	The denominator. Set by the experts.
Caught before simulated release	The benefit claimed.
False clear	Nothing reported, something wrong. The worst outcome.
Timely protective decision	A catch that arrives after the deadline earns no credit.
Nuisance escalation	The cost in attention.
Reviewer minutes	The cost in time, checking included.
Unknown	Evidence missing. Never folded into pass or fail.

RECOMMENDATION Fix the tolerances before scoring: how many false clears end the trial, how many nuisance notices per shift are acceptable. List every disagreement between arms, with the experts' ruling.


The arithmetic of zero

FACT When no failure is seen in *n* independent cases, the true failure rate can still be as high as roughly 3 divided by *n*, at 95% confidence.[13]

INFERENCE A round of eight cases with no miss is compatible with an agent that misses about three critical discrepancies in ten.

EXHIBIT 8

A clean trial: the miss rate it still allows



Upper 95% limit on the true miss rate when no miss is observed. Gold: the eight challenge cases in this report. Our calculation.

FACT Exact one-sided 95% limit, 1 minus 0.05 to the power 1/n. Method: source 13. Figures: our calculation, re-run when this document was built.

RECOMMENDATION Use the eight cases to find failures. Do not use them to certify their absence. To say "misses fewer than one in twenty", plan for at least 60 scored critical cases from real records, varied by shift, contractor and asset.

INFERENCE Variants of one case are not independent. Sixty rewordings of the stale work order tell you about stale work orders. Report distinct situations beside runs.

© 2026 Riskopilot · riskopilot.com · contact@riskopilot.com · CC BY-ND 4.0

PART 4 · DOING IT

Ninety days, without transferring authority

Days 1 to 15: baseline and consultation

RECOMMENDATION Operations chooses one asset family and both shift types. Workers and contractors are consulted on the purpose, what the agent will read, how a wrong summary is corrected and how long records are kept. Document the site's real deadlines, its alarm channels and the owner of each source.

Pick in advance some intervals with no alerts and some handovers with no known fault. They guard against choosing only the cases where the agent shone.

Days 16 to 30: offline replay

RECOMMENDATION Frozen handovers go through the three arms. Record the seven counts for each. Compare paired cases and list every disagreement. Keep missing evidence apart from failure.

At the end of the replay the agent has earned rung 2 or it has not.

Days 31 to 60: shadow operation

RECOMMENDATION The agent receives live copies of approved inputs. It has no authority over machines or permits, and its output goes to the trial team only. The existing process continues unchanged. An observer who sees an actual hazard uses the normal immediate response and the trial waits.

Independently check a sample of silent intervals, contractor shifts and disputed outputs. Run at least two nights with the agent switched off.

Days 61 to 90: decision

RECOMMENDATION The executive committee receives one page: the counts by arm, the disagreements, the experts' rulings, the workers' account and the fallback nights. It chooses one of four outcomes.

OUTCOME	WHEN
Adopt	For the tested function and rung only, when the gain over fixed rules is demonstrable and the workload is acceptable.
Extend	When the observations are too few to tell.
Restrict	When a condition fell outside what was tested. Redesign and replay.
Withdraw	After an unresolved critical miss, a silent loss of coverage or any attempt to act outside the charter.

RECOMMENDATION If arm B matches arm C, adopt the rules and stop paying for the agent in this function. That is a good result.

Afterwards

RECOMMENDATION Replay the acceptance cases after any change to the model, the roster structure, the workflow or a major source. Review the charter at the date it names.

How to read the result

Few failures in a small or staged sample leave wide uncertainty. Report counts with their denominators and the mix of shifts and contractors. A 90-day trial assesses the quality of decisions. It cannot establish a rate of injuries avoided, and no report to the board should suggest it does.

© 2026 Riskopilot · riskopilot.com · contact@riskopilot.com · CC BY-ND 4.0

PART 5

What the executive committee keeps

Six decisions that should not be delegated to a project team or a supplier, the cases where an agent is the wrong tool, and the strongest arguments against this report.

© 2026 Riskopilot · riskopilot.com · contact@riskopilot.com · CC BY-ND 4.0

PART 5 · RESERVED DECISIONS

Six decisions the executive committee keeps

A project team can run a trial. Six decisions change who carries risk. They belong to the people accountable for the business, and the board should see the record of each.

EXHIBIT 9

The decision, its owner and the record it leaves

NO.	DECISION	OWNER	BEFORE DECIDING	RECORD
1	**Raising a rung**, and any grant of rung 4.	Executive accountable for operations.	Trial counts by arm. Evidence that people still overrule it.	Charter clause 2, signed and dated.
2	**Removing or thinning a post**, a shift or contractor supervision on the strength of an agent.	Chief executive, with operations and HSE.	A duty-coverage review on the busiest shift, with the agent down.	Each duty of the old post, with its new named holder.
3	**What the agent may read about individuals**, and what its output may be used for.	Executive accountable for people, with legal counsel.	Consultation with workers. Legal classification of the use.	A written rule: no use for discipline or appraisal.
4	**Supplier terms**: notice of change, logs, replay rights, exit.	Executive who signs the contract.	A test that the logs reproduce one past output.	Contract clauses, and the date the test was passed.
5	**Suspension and return to service** after a critical miss.	Site director suspends. Executive committee approves return.	Replay of the acceptance cases. Account from the shift concerned.	Cause, change made, who was told.
6	**What is claimed** inside the company and in public.	Chief executive.	Counts with denominators. An outside reviewer.	The claim, its evidence and its limits, in one paragraph.

RECOMMENDATION Riskopilot proposal.

On decision 2

INFERENCE This is where the money is, so the pressure will come here. The paper we examined sketches a company of about 1,000 people directing tens of thousands of agents.[1] That may fit work made of information. A lift or an isolation is made of presence.

RECOMMENDATION Apply the test from *Who can act in time*: name the protective duty, its deadline and the person with authority to act.[14] If the agent changes none of them, the staffing need is unchanged.

On decision 3

FACT The AI Act lists among its high-risk uses systems that allocate tasks from individual behaviour or that monitor and evaluate workers. Employers must inform workers' representatives and affected workers before such a system is used at work.[2]

INFERENCE If handover output drifts into appraisal, people will write less in their notes. The rule protects the record as much as the worker.

© 2026 Riskopilot · riskopilot.com · contact@riskopilot.com · CC BY-ND 4.0

PART 5 · SCOPE

Where an agent is the wrong tool

Ask of any proposal what the simplest alternative would be. Often it is a lookup, a checklist or a time-and-zone rule, and it answers the question completely.

EXHIBIT 10

Eight situations, the simplest comparator and who keeps immediate action

SITUATION	SIMPLEST COMPARATOR	IMMEDIATE ACTION STAYS WITH	HARD CASE TO TEST
Traffic at a delivery gate	A plain tally of crossings by hour.	The driver and the marshal.	An alert that arrives after the vehicle has passed.
Conveyor isolation	Required-field rules on the custody record.	The isolation authority.	A contractor handover made offline.
Crane lift near people	A time-and-zone overlap rule on schedules.	The signaller and the lift supervisor.	A person already inside a closed gate. No agent in the release path.
Drill rotation guard	A list of approved models at the issue counter.	The manufacturer's local protective function.	An unsupported model suffix at issue. No agent in the protection loop.
Confined-space entry	A fixed availability rule on the rescue roster.	The entry supervisor.	A reassignment nobody recorded.
Fuel-bay fire plan	A version-match rule on the bay map.	The fire-plan duty holder.	An obsolete map copied to three displays.
Machine guarding	A release checklist for commissioning actions.	The machine's protective function and its validator.	A repair closed with its validation missing.
Excavator attachment	An exact lookup of compatible combinations.	The fleet authority.	A hired combination nobody has seen before.

RECOMMENDATION Riskopilot proposals for comparison. None has been run. Situations are typical critical-control settings in construction, mining and plant work.

Three rules of thumb

RECOMMENDATION **Prefer the lookup** when the question has an exact answer in a maintained list.

Keep the agent out of the loop wherever the response must come in seconds. Alarms, interlocks and people at the workface act first.

Give no prevention credit to a late pattern. A finding made the next morning is useful for learning. It protected nobody on the night.

Where an agent may earn its place

INFERENCE Where the evidence is in free text written by several people, where the same asset appears in records that do not share a format, and where a contradiction matters more than a value. Shift handover around maintenance has all three, which is why this report starts there.[12]

© 2026 Riskopilot · riskopilot.com · contact@riskopilot.com · CC BY-ND 4.0

PART 6

Forms to complete

Four blank pages to print or fill in on screen: the agent charter, the source and memory register, the challenge-case score sheet and the escalation and staffing review.

© 2026 Riskopilot · riskopilot.com · contact@riskopilot.com · CC BY-ND 4.0

PART 6 · FORM 1

Agent charter

One charter per agent and per function. Display it where the shift supervisor can read it. Attach the trial summary that supports the rung.

1. Function Task, place, asset family. Decision informed and who makes it	
2. Rung held Observe, assemble, flag or recommend. Date, granted by, proof	
3. Sources Each source, owner, maximum age of copy. What is excluded	
4. Outputs Recipients, channel, form. Originals attached	
5. Prohibitions No write access to permits, isolations, alarms, verification. No merging of conflicts	
6. Deadline and fallback Minutes to acknowledge, alternate, direct channel, manual procedure	
7. Owners Operating, technical, service. Person who can switch it off on each shift	
8. Change Triggers for a replay. Who replays. Last accepted version	
9. Review and withdrawal Review date. Suspending events. Who informs workers and contractors	

Site director	Technical authority	Worker representative, consulted	Executive, for rung 4
Name, signature, date	Name, signature, date	Name, signature, date	Name, signature, date

© 2026 Riskopilot · riskopilot.com · contact@riskopilot.com · CC BY-ND 4.0

PART 6 · FORM 2

Source and memory register

Part A: one line per source the agent reads. Two sources derived from one entry count as one origin. Part B: one line per item the agent retains between shifts.

A. Sources

SOURCE	OWNER	COPIED FROM	REFRESH INTERVAL	MAXIMUM AGE ALLOWED	DERIVED FROM WHICH OTHER SOURCE	INDEPENDENT ORIGIN, YES OR NO

B. Retained items

ITEM RETAINED	LABEL: OBSERVATION, INTERPRETATION OR INSTRUCTION	ORIGINAL SOURCE OR APPROVER	EXPIRES	WITHDRAWN ON	COPIES TRACED, YES OR NO

Service owner

Name, signature, date

Technical authority

Name, signature, date

© 2026 Riskopilot · riskopilot.com · contact@riskopilot.com · CC BY-ND 4.0

PART 6 · FORM 3

Challenge-case score sheet

One sheet per round. The two experts write the reference decision before any arm is run. Score each arm as correct, false clear, late, nuisance or unknown. Record minutes of reviewer time.

CASE	REFERENCE DECISION, SET IN ADVANCE	ARM A: MANUAL	ARM B: RULES	ARM C: RULES AND AGENT	MINUTES A / B / C	EXPERTS' RULING ON ANY DISAGREEMENT
1. Stale work order						
2. Conflicting originals						
3. Absent deputy						
4. Simultaneous alerts						
5. Worker disputes summary						
6. Withdrawn precedent						
7. Silent loss of input						
8. Normal job						

Tolerances set before scoring False clears that end the trial. Nuisance notices per shift	
Distinct situations and total runs Variants of one case are not independent	
Fallback nights Dates the agent was switched off. What the shift reported	

Operations expert	Engineering expert	Trial lead
Name, signature, date	Name, signature, date	Name, signature, date

© 2026 Riskopilot · riskopilot.com · contact@riskopilot.com · CC BY-ND 4.0

PART 6 · FORM 4

Escalation and staffing review

Complete before any change to a post, a shift or contractor supervision that cites an agent. Replay the busiest shift with the agent unavailable.

1. Change proposed Post, shift or supervision affected. Saving claimed and its evidence	
2. Duties of the post Each one classed as presence, judgement, authorisation or information	
3. What the agent changes Only information duties. Minutes saved, measured how	
4. Replay Concurrent jobs, breaks, travel, an emergency, a system outage	
5. Named holder for each remaining duty Qualified, free and close enough in the same interval	
6. Escalation path Deadline, alternate, direct channel. Tested on which night	
7. Uncovered duty Keep the role, resequence the work or fund cover	
8. Contrary view From a worker, contractor or supervisor, and what was done with it	

Proposer	Site director	Executive who decides
Name, signature, date	Name, signature, date	Name, signature, date

© 2026 Riskopilot · riskopilot.com · contact@riskopilot.com · CC BY-ND 4.0

LIMITS

The strongest case against this report

We have tried to state each objection as its best advocate would, and to say where it would change our advice.

“People miss more than agents do. You are protecting the weaker system.”

INFERENCE On detection this may prove true, and the trial is built to show it. Release is a different matter. It rests on presence and accountability, which accuracy does not supply. We would revisit rung 4 on published field evidence. We would not open rung 5 on accuracy alone.

“A closed top rung is dogma. Interlocks already act without a person.”

INFERENCE They do, and they are deterministic, validated against a specification and governed by functional-safety standards. No equivalent route exists today for a language-model agent. The 2024 ISO/IEC document on the subject is a technical report.[6] A harmonised standard for such use would change the picture.

“The rules arm is a strawman. Rules cannot read free text.”

INFERENCE Then arm C will beat arm B on cases 2, 5 and 6, and the trial will have shown it at small cost. Our suspicion is that rules will do better than expected on the rest.

“Notices at night will bury supervisors.”

INFERENCE They may. That is why nuisance escalations are counted and a tolerance is set before scoring. An agent that cannot stay inside it does not reach rung 3.

“Competitors will move faster.”

INFERENCE In office work, perhaps. Around a critical control the cost of being second is ninety days. The cost of a release made on a confabulated summary is of another order.

What would change this report

RECOMMENDATION A peer-reviewed field evaluation of agents around critical controls, in either direction. Regulator guidance specific to agents in safety-related work. A harmonised standard under the AI Act or the Machinery Regulation that covers agent behaviour. Results from sites that run the trial, which we will publish with permission, including the ones where rules won.

Limits of this report

FACT No instrument here has been tested against injury outcomes. The reference case and all its times are invented. The research on automation bias predates language-model agents and comes from other settings.[10, 11] The paper we examine was seen and downloaded on LinkedIn on 19 November 2026, and we could not locate it on its publisher’s website.[1] We read the legal texts on an official European Commission service and in a reproduction of the amending regulation, not in the Official Journal PDF.[2, 3] We did not read the Machinery Regulation or the two ISO/IEC documents in full.[4, 6, 9]

INFERENCE Technology in this field changes within months. The ladder is built to outlast that: it constrains authority, whatever the model. The legal dates and the state of research should be rechecked before this report is relied on after mid-2027.

© 2026 Riskopilot · riskopilot.com · contact@riskopilot.com · CC BY-ND 4.0

SOURCES

Source register

Sources were chosen in this order of preference: law and regulators, standards bodies, peer-reviewed research. The right-hand column states what we read, when, and any limit on it. One consultancy paper is cited, as the position this report examines.

NO.	SOURCE	TYPE, ACCESS AND LIMITS
1	Robnett, S., Lukic, V., De Bellefonds, N. and Crews, C. L. (2026). Building an agent-first organization: five operating model principles from a 99% agentic enterprise. Whitepaper, Boston Consulting Group, October 2026. https://www.bcg.com/	Consultancy paper, cited as the position examined and never as evidence for a recommendation. Seen on LinkedIn on 19 November 2026 and downloaded there as a PDF, then read in full. Not found on the publisher's website on that date, and the LinkedIn post could not be recovered by search, so no direct link is given. All figures are as printed in that document. Single source.
2	Regulation (EU) 2024/1689 of the European Parliament and of the Council of 13 June 2024 laying down harmonised rules on artificial intelligence (AI Act). Articles 6, 14 and 26 and Annex III, as amended. https://ai-act-service-desk.ec.europa.eu/en/ai-act/article-14	Law. Articles 6, 14 and 26 and Annex III read on the European Commission's AI Act service desk on 19 November 2026. Paraphrased. The authentic text is the Official Journal.
3	Regulation (EU) 2026/1744 of the European Parliament and of the Council of 8 July 2026 amending Regulations (EU) 2024/1689, (EU) 2018/1139 and (EU) 2023/1230 (Digital Omnibus on AI). Official Journal L, 24 July 2026. https://eur-lex.europa.eu/eli/reg/2026/1744/oj	Law. EUR-Lex record read on 19 November 2026 for dates of adoption and entry into force (27 July 2026). The amendment to Article 113 was read in a reproduction of the official text and the two dates were confirmed in three law-firm notes and a Portuguese government notice. The same regulation moves machinery within Annex I of the AI Act. We do not analyse that change.
4	Regulation (EU) 2023/1230 of the European Parliament and of the Council of 14 June 2023 on machinery. https://osha.europa.eu/en/legislation/directive/regulation-20231230eu-machinery	Law. Read through the summary of the European Agency for Safety and Health at Work and the European Parliament's summary of the final act, 19 November 2026. The regulation itself was not opened.
5	UK Health and Safety Executive. HSE's regulatory approach to artificial intelligence (AI). https://www.hse.gov.uk/news/hse-ai.htm	Regulator statement, Great Britain. Read in November 2026. On 19 November the page redirected to the regulator's press site. The risk-assessment expectation is confirmed in two legal commentaries.
6	ISO/IEC TR 5469:2024. Artificial intelligence. Functional safety and AI systems. Edition 1, January 2024. https://www.iso.org/standard/81283.html	International technical report. Abstract and scope read on the ISO catalogue page on 19 November 2026. The full document was not read.
7	US National Institute of Standards and Technology (2023). Artificial Intelligence Risk Management Framework (AI RMF 1.0). NIST AI 100–1. doi:10.6028/NIST.AI.100–1. https://doi.org/10.6028/NIST.AI.100-1	Voluntary framework. Appendix C on human and AI interaction read on 19 November 2026.

© 2026 Riskopilot · riskopilot.com · contact@riskopilot.com · CC BY-ND 4.0

SOURCES

NO.	SOURCE	TYPE, ACCESS AND LIMITS
8	US National Institute of Standards and Technology (2024). Artificial Intelligence Risk Management Framework: Generative Artificial Intelligence Profile. NIST AI 600–1, July 2024. doi:10.6028/NIST.AI.600–1. https://doi.org/10.6028/NIST.AI.600-1	Voluntary framework. Publication confirmed on the NIST notice. The two risk descriptions were read in a legal summary of the document and matched against its table of contents. The full text was not re-read.
9	ISO/IEC 42001:2023. Information technology. Artificial intelligence. Management system. Edition 1, December 2023. https://www.iso.org/standard/42001	International standard. Catalogue page read on 19 November 2026. The standard itself was not read. Cited for its existence and scope only.
10	Bainbridge, L. (1983). Ironies of automation. *Automatica* 19(6), 775 to 779. doi:10.1016/0005–1098(83)90046–8. https://doi.org/10.1016/0005-1098(83)90046-8	Peer-reviewed paper, process industries. Abstract and opening sections read. Bibliographic details confirmed in two indexes.
11	Parasuraman, R. and Manzey, D. (2010). Complacency and bias in human use of automation: an attentional integration. *Human Factors* 52(3), 381 to 410. doi:10.1177/0018720810376055. https://doi.org/10.1177/0018720810376055	Peer-reviewed review. Abstract read. Laboratory and aviation evidence, before language-model agents. Single source for the findings quoted.
12	UK Health and Safety Executive. Shift handover. Human factors topic guidance. https://www.hse.gov.uk/humanfactors/topics/shift-handover.htm	Regulator guidance. Read on 19 November 2026.
13	Hanley, J. and Lippman-Hand, A. (1983). If nothing goes wrong, is everything all right? Interpreting zero numerators. *JAMA* 249(13), 1743 to 1745. doi:10.1001/jama.1983.03330370053031. https://doi.org/10.1001/jama.1983.03330370053031	Peer-reviewed. Abstract read for *Prove it on site*. The exact figures in this report are our own calculation.
14	Hounkpati, B. (2026). *Time to act*, *Prove it on site* and *Who can act in time*. Riskopilot Research, critical controls series. https://riskopilot.com/riskolabs	Our own earlier reports. Cited for definitions and methods, not as independent evidence.
15	O'Donncha, F., Zhou, N., Martinez, N., Rayfield, J., Heath, F., Langbridge, A. and Vaculin, R. (2026). Evidence-driven reasoning for industrial maintenance using heterogeneous data. arXiv:2603.08171, 9 March 2026. https://arxiv.org/abs/2603.08171	Preprint by the system's developers. A version appears in the industry track of a 2026 computational linguistics conference. Abstract read on 19 November 2026. Cited to show that deployments exist. Single source.

Sources we looked for and did not find

An independent evaluation of a language-model agent's effect on verification, release or protective decisions around a critical control. Regulator guidance that addresses agents, as distinct from AI in general, in safety-related work. A comparison of agent assistance with fixed rules at shift handover. If you know of one, write to contact@riskopilot.com.

A note on the legal dates

The application dates of the AI Act changed in July 2026 and may change again. Check the consolidated text on EUR-Lex before relying on any date printed here.

© 2026 Riskopilot · riskopilot.com · contact@riskopilot.com · CC BY-ND 4.0

VERIFICATION, AUTHOR AND LICENCE

Verification note

Confirmed in two independent sources

- AI Act high-risk application dates of 2 December 2027 and 2 August 2028 (source 3, reproduction of the official text, three law-firm notes and a government notice).
- Regulation (EU) 2026/1744: adopted 8 July 2026, published 24 July 2026, in force 27 July 2026 (EUR-Lex record and legal notes).
- Machinery Regulation: application from 20 January 2027 and the machine-learning safety-component category (source 4, two institutional summaries).
- The British regulator's risk-assessment expectation (source 5 and two legal commentaries).
- Bibliographic details of sources 6 to 11 and 13.

Resting on a single source

- Everything reported from the agent-first paper: 37 agents, six layers, scores of 58.5 and 76.7, the 8–hour cycle (source 1, a PDF downloaded from LinkedIn).
- The content of AI Act Articles 14 and 26 and Annex III (source 2, one official service).
- The findings on complacency and automation bias (source 11, abstract).
- The scope of ISO/IEC TR 5469 (source 6, catalogue abstract).
- The handover guidance (source 12) and the maintenance-agent preprint (source 15).

Could not be verified, and handled accordingly

- A stable public link to source 1. It was seen on LinkedIn on 19 November 2026. We say so on pages 8 and 31 and give no link.
- Any independent field result for an agent's effect on decisions around a critical control. None was found, and none is claimed.
- The cost of the trial. No figure is given.

Calculations

The 31% rise, the factor of 48, the five limits in Exhibit 8 and the times in Exhibit 6 were recomputed when this document was built. The conveyor case and the staffing example are invented.

About the author

Bruno Hounkpati is a CEO and former VP HSE. He is the author of the Riskopilot critical control health method (CCHI) and its rollout playbook.

About Riskopilot

Riskopilot helps organisations in high-hazard industries investigate incidents and verify the controls that prevent fatal ones. Riskolabs is where its methods are published and tested in the open.

How to cite

Hounkpati, B. (2026). What an agent may decide: authority, evidence and limits for AI agents around critical controls. Riskopilot Research, critical controls series. riskopilot.com

Licence

Creative Commons Attribution-NoDerivatives 4.0 International (CC BY-ND 4.0). You may share this document unchanged, with attribution. The forms in Part 6 may be copied and completed for use on your own sites.

Important

This report is general information. It is not engineering, legal or regulatory advice. The classification of an AI system under any law, and the authority, verification and release arrangements for actual work, are for the duty holder and its advisers under local law and approved procedures. The account of the paper examined summarises that document and makes no finding about its authors or publisher. Worked numbers marked as illustrations are invented.

Contact

contact@riskopilot.com · riskopilot.com

RISKOPILOT

“An agent can carry the evidence. A named person carries the decision.”

RISKOPILOT RESEARCH · CRITICAL CONTROLS SERIES